Federal Emergency Management Agency
Washington, D.C. 20472

# LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

| COMMUNITY AND MAP PANEL INFORMATION | | LEGAL PROPERTY DESCRIPTION |
|---|---|---|
| COMMUNITY | TOWNSHIP OF SOUTH HEIDELBERG, BERKS COUNTY, PENNSYLVANIA | Lot 2, Final Plan of "DiBiase Homestead", as described in the Deed, Document No. 26757, recorded in Volume 3207, Pages 1214 through 1216, filed on June 9, 2000, by the Recorder of Deeds, Berks County, Pennsylvania |
| | COMMUNITY NO.: 421107 | |
| AFFECTED MAP PANEL | NUMBER: 42011C0491E | |
| | NAME: BERKS COUNTY, PENNSYLVANIA, (ALL JURISDICTIONS) | |
| | DATE: 12/05/1997 | |
| FLOODING SOURCE: CACOOSING CREEK | | APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.307, -76.056<br>SOURCE OF LAT & LONG: PRECISION MAPPING STREETS 4.0 DATUM: NAD 83 |

## DETERMINATION

| LOT | BLOCK/ SECTION | SUBDIVISION | STREET | OUTCOME WHAT IS REMOVED FROM THE SFHA | FLOOD ZONE | 1% ANNUAL CHANCE FLOOD ELEVATION (NGVD 29) | LOWEST ADJACENT GRADE ELEVATION (NGVD 29) | LOWEST LOT ELEVATION (NGVD 29) |
|---|---|---|---|---|---|---|---|---|
| 2 | — | — | 230 Wernersville Road | Structure | X (unshaded) | 407.3 feet | 408.5 feet | — |

**Special Flood Hazard Area (SFHA)** - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE FLOODWAY

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Revision based on Fill for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document revises the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210. Additional information about the NFIP is available on our web site at http://www.fema.gov/nfip/.

Mary Jean Pajak, P.E., C.F.M., Acting Chief
Hazard Study Branch
Federal Insurance and Mitigation Administration

Version 1.3.4
MX173014003V3645LOMAV3645SPF2

Federal Emergency Management Agency
Washington, D.C. 20472

# LETTER OF MAP REVISION BASED ON FILL DETERMINATION DOCUMENT (REMOVAL)

ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

**PORTIONS OF THE PROPERTY REMAIN IN THE FLOODWAY (This Additional Consideration applies to the preceding 1 Property.)**

A portion of this property is located within the Special Flood Hazard Area and the National Flood Insurance Program (NFIP) regulatory floodway for the flooding source indicated on the Determination/Comment Document while the subject of this determination is not. The NFIP regulatory floodway is the area that must remain unobstructed in order to prevent unacceptable increases in base flood elevations. Therefore, no construction may take place in an NFIP regulatory floodway that may cause an increase in the base flood elevation, and any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management. The NFIP regulatory floodway is provided to the community as a tool to regulate floodplain development. Modifications to the NFIP regulatory floodway must be accepted by both the Federal Emergency Management Agency (FEMA) and the community involved. Appropriate community actions are defined in Paragraph 60.3(d) of the NFIP regulations. Any proposed revision to the NFIP regulatory floodway must be submitted to FEMA by community officials. The community should contact either the Regional Director (for those communities in Regions I-IV, and VI-X), or the Regional Engineer (for those communities in Region V) for guidance on the data which must be submitted for a revision to the NFIP regulatory floodway. Contact information for each regional office can be obtained by calling the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or from our web site at http://www.fema.gov/nfip/reg.htm.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210. Additional information about the NFIP is available on our web site at http://www.fema.gov/nfip/.

Mary Jean Pajak, P.E., C.F.M., Acting Chief
Hazard Study Branch
Federal Insurance and Mitigation Administration

Version 1.3.4
MX173014003V3645LOMAV3645SPF2