Federal Emergency Management Agency

Washington, D.C. 20472

JUL 22 1998

[redacted]
Reinholds, Pennsylvania 17569

IN REPLY REFER TO:
Case No.: 98-03-716A
Community: Township of South Heidelberg, Berks County, Pennsylvania
Community No.: 421107
Map Panel Affected: Berks County, Pennsylvania (All Jurisdictions)
Number: 42011C0490 E
Map Effective Date: December 5, 1997

218-70-NS

[redacted]

We reviewed a request submitted on your behalf by The Honorable Tim Holden, U.S. House of Representatives, dated March 17, 1998, for a Letter of Map Amendment (LOMA). A field inspection was conducted for your property on June 10, 1998. Using the information submitted, field survey data, and the effective National Flood Insurance Program (NFIP) map, we determined that the structure on the property described below would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood) and is correctly shown on the current NFIP map as being located in a Special Flood Hazard Area (SFHA), designated Zone A.

Property Description:	A parcel of land, as described and recorded in Deed Document No. 48303, Volume 2873, Pages 2339-2342, filed in the Berks County Recorder of Deeds' Office
Street Address:	1356 Fritztown Road
Flooding Source:	Tributary to Little Cocalico Creek

The elevation of the lowest adjacent grade to a structure (the lowest ground touching the structure) must be at or above the base flood elevation for the structure to be outside the SFHA. Based on our field survey and analysis, we have determined that the elevation of the lowest adjacent grade to the structure is lower than the base flood elevation. Therefore, the structure is within the SFHA, and flood insurance is required.

This determination is based on the flood data presently available. The enclosed document provides additional information about your options for obtaining a LOMA. If you have any questions about this letter, please contact Mr. Martin Frengs, P.E., of our staff in Philadelphia, PA by telephone at (215) 631-5532.

Sincerely,

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

Enclosures

cc: The Honorable Tim Holden, U.S. House of Representatives