Federal Emergency Management Agency

Washington, D.C. 20472

NOV 17 1998

LETTER OF MAP AMENDMENT
218-70-RS

IN REPLY REFER TO CASE NO.: 99-03-202A

Community: Township of Robeson, Berks County, Pennsylvania
Community No.: 420146
Map Panel Affected: Berks County, Pennsylvania (All Jurisdictions)
Number: 42011C0536 E
Map Effective Date: December 5, 1997

We reviewed a request dated October 21, 1998, for a Letter of Map Amendment (LOMA). All required information for this request was received on November 5, 1998. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we determined that a portion of the property described below is located in the Special Flood Hazard Area (SFHA), an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood); however, the structures on the property are not in the SFHA.

Property Description:	A parcel of land, as described and recorded in Deed Volume 2919, Pages 1610-1613, filed on March 16, 1998 in the Berks County Recorder's Office
Street Address:	5 Main Street
Flooding Source:	Seidel Creek/Schuykill River

This letter amends the above-referenced NFIP map to remove the structure from the SFHA. The structures are now located in Zone X (unshaded), an area above the 0.2-percent-annual-chance flood level. Flood insurance coverage for the structures may be available under a low-cost policy (see enclosed document). Because portions of the property remain in the SFHA, any future construction or substantial improvement on the property remains subject to Federal, Commonwealth, and local regulations for floodplain management.

A portion of this property, but not the structure, is located within the regulatory floodway for Seidel Creek/Schuykill River. The regulatory floodway is the area that must be maintained in an unobstructed condition in order to prevent unacceptable increases in base flood levels. Therefore, no construction may take place in a regulatory floodway that would cause any increase in the base flood elevation level. Since the regulatory floodway is adopted and enforced by the community, any proposed revision to the regulatory floodway must be submitted to the Federal Emergency Management Agency (FEMA) by community officials. The community should contact Thomas Majusiak, Division Director, Mitigation Division of FEMA's Region III Office at (215) 931-5512 for guidance on the data that must be submitted in order to revise a regulatory floodway.

An additional enclosed document provides information about LOMAs. If you have any questions about this letter, please contact Helen Cohn of our staff in Washington, D.C., either by telephone at (202) 646-3457 or by facsimile at (202) 646-4596.

Sincerely,

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

Enclosures

cc: Commonwealth Coordinator (w/o enclosures)
Region (w/o enclosures)
Community Map Repository