Federal Emergency Management Agency

Washington, D.C. 20472

JUL 22 1998

[redacted]

Fleetwood, Pennsylvania 19522

IN REPLY REFER TO:
Case No.: 98-03-1096A
Community: Borough of Fleetwood,
Berks County, Pennsylvania
Community No.: 420133
Map Panel Affected: Berks County,
Pennsylvania (All Jurisdictions)
Number: 42011C0379 E
Map Effective Date: December 5, 1997

218-70-OS

[redacted]

We reviewed a request submitted on your behalf by The Honorable Tim Holden, U.S. House of Representatives, dated May 7, 1998, for a Letter of Map Amendment (LOMA). All required information for this request was received on June 12, 1998. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we determined that a portion of the property described below is located in a Special Flood Hazard Area (SFHA), the area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood); however, the structure on the property is not in the SFHA.

Property Description:	Lot 42, Willow Run Subdivision, as described and recorded in Deed Document No. 37044, Volume 2854, Pages 953-957, filed on August 5, 1997, in the Berks County Recorder of Deeds' Office
Street Address:	16 Brookfield Drive
Flooding Source:	Unnamed Tributary to Willow Creek

The structure is correctly shown outside the SFHA on the above-referenced NFIP map. The structure is now located in Zone X (unshaded). Flood insurance coverage for the structure may be available under a low-cost policy (see enclosed document). Because portions of the property remain in the SFHA, any future construction or substantial improvement on the property remains subject to Federal, Commonwealth, and local regulations for floodplain management.

If the policy has been written using an incorrect zone, it can be endorsed to correct the zone for the current policy year and one prior policy term. You should contact your insurance agent or company to request endorsement of the policy.

An additional enclosed document provides information about LOMAs. If you have any questions about this letter, please contact Ms. Helen Cohn of our staff in Washington, D.C., either by telephone at (202) 646-3457 or by facsimile at (202) 646-4596.

Sincerely,

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

Enclosures

cc: The Honorable Tim Holden, U.S. House of Representatives