Federal Emergency Management Agency

Washington, D.C. 20472

DEC 1 9 2007

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

IN REPLY REFER TO:
Case No.: 07-03-1293P
Community Name: Township of Lower Mount Bethel, PA
Community No.: 420724
Effective Date of This Revision: APR 1 0 2008

The Honorable Charles Palmeri
Chairman, Lower Mount Bethel
Board of Supervisors
P.O. Box 257
Martins Creek, PA 18063

Dear Mr. Palmeri:

The Flood Insurance Study report and Flood Insurance Rate Map for your community have been revised by this Letter of Map Revision (LOMR). Please use the enclosed annotated map panel(s) revised by this LOMR for floodplain management purposes and for all flood insurance policies and renewals issued in your community.

Additional documents are enclosed which provide information regarding this LOMR. Please see the List of Enclosures below to determine which documents are included. Other attachments specific to this request may be included as referenced in the Determination Document. If you have any questions regarding floodplain management regulations for your community or the National Flood Insurance Program (NFIP) in general, please contact the Consultation Coordination Officer for your community. If you have any technical questions regarding this LOMR, please contact the Director, Mitigation Division of the Department of Homeland Security's Federal Emergency Management Agency (FEMA) in Philadelphia, Pennsylvania, at (215) 931-5512, or the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP). Additional information about the NFIP is available on our website at http://www.fema.gov/nfip.

Sincerely,

Lora S. Eskandary, CFM, Project Engineer
Engineering Management Branch
Mitigation Directorate

For: William R. Blanton Jr., CFM, Chief
Engineering Management Branch
Mitigation Directorate

List of Enclosures:

Letter of Map Revision Determination Document
Annotated Flood Insurance Rate Map
Annotated Flood Insurance Study Report

cc: [redacted]
CMX

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION DETERMINATION DOCUMENT

COMMUNITY AND REVISION INFORMATION		PROJECT DESCRIPTION	BASIS OF REQUEST
COMMUNITY	Township of Lower Mount Bethel Northampton County Pennsylvania	NO PROJECT	HYDRAULIC ANALYSIS NEW TOPOGRAPHIC DATA
	COMMUNITY NO.: 420724		
IDENTIFIER	Lower Mount Bethel FEMA Initiated LOMR	APPROXIMATE LATITUDE & LONGITUDE: 40.817, -75.090 SOURCE: USGS QUADRANGLE DATUM: NAD 83	

ANNOTATED MAPPING ENCLOSURES	ANNOTATED STUDY ENCLOSURES
TYPE: FIRM* NO.: 42095C0186 D DATE: April 6, 2001	DATE OF EFFECTIVE FLOOD INSURANCE STUDY: April 06, 2001 PROFILE(S): 23P FLOODWAY DATA TABLE: 4

Enclosures reflect changes to flooding sources affected by this revision.
* FIRM - Flood Insurance Rate Map; ** FBFM - Flood Boundary and Floodway Map; *** FHBM - Flood Hazard Boundary Map

FLOODING SOURCE(S) & REVISED REACH(ES)

DELAWARE RIVER - from approximately 1,270 feet downstream of the confluence of Oughoughton Creek to 7,400 feet downstream of the Riverton-Belvidere Highway Bridge

SUMMARY OF REVISIONS

Flooding Source	Effective Flooding	Revised Flooding	Increases	Decreases
DELAWARE RIVER	Zone AE	Zone AE	YES	YES
	BFEs*	BFEs	YES	YES

* BFEs - Base Flood Elevations

DETERMINATION

This document provides the determination from the Department of Homeland Security's Federal Emergency Management Agency (FEMA) regarding a request for a Letter of Map Revision (LOMR) for the area described above. Using the information submitted, we have determined that a revision to the flood hazards depicted in the Flood Insurance Study (FIS) report and/or National Flood Insurance Program (NFIP) map is warranted. This document revises the effective NFIP map, as indicated in the attached documentation. Please use the enclosed annotated map panels revised by this LOMR for floodplain management purposes and for all flood insurance policies and renewals in your community.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at http://www.fema.gov/nfip.

Lora S. Eskandary, CFM, Project Engineer
Engineering Management Branch
Mitigation Directorate

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION DETERMINATION DOCUMENT (CONTINUED)

COMMUNITY INFORMATION

APPLICABLE NFIP REGULATIONS/COMMUNITY OBLIGATION

We have made this determination pursuant to Section 206 of the Flood Disaster Protection Act of 1973 (P.L. 93-234) and in accordance with the National Flood Insurance Act of 1968, as amended (Title XIII of the Housing and Urban Development Act of 1968, P.L. 90-448), 42 U.S.C. 4001-4128, and 44 CFR Part 65. Pursuant to Section 1361 of the National Flood Insurance Act of 1968, as amended, communities participating in the NFIP are required to adopt and enforce floodplain management regulations that meet or exceed NFIP criteria. These criteria, including adoption of the FIS report and FIRM, and the modifications made by this LOMR, are the minimum requirements for continued NFIP participation and do not supersede more stringent State/Commonwealth or local requirements to which the regulations apply.

COMMUNITY REMINDERS

We based this determination on the 1-percent-annual-chance flood discharges computed in the FIS for your community without considering subsequent changes in watershed characteristics that could increase flood discharges. Future development of projects upstream could cause increased flood discharges, which could cause increased flood hazards. A comprehensive restudy of your community's flood hazards would consider the cumulative effects of development on flood discharges subsequent to the publication of the FIS report for your community and could, therefore, establish greater flood hazards in this area.

Your community must regulate all proposed floodplain development and ensure that permits required by Federal and/or State/Commonwealth law have been obtained. State/Commonwealth or community officials, based on knowledge of local conditions and in the interest of safety, may set higher standards for construction or may limit development in floodplain areas. If your State/Commonwealth or community has adopted more restrictive or comprehensive floodplain management criteria, those criteria take precedence over the minimum NFIP requirements.

We will not print and distribute this LOMR to primary users, such as local insurance agents or mortgage lenders; instead, the community will serve as a repository for the new data. We encourage you to disseminate the information in this LOMR by preparing a news release for publication in your community's newspaper that describes the revision and explains how your community will provide the data and help interpret the NFIP maps. In that way, interested persons, such as property owners, insurance agents, and mortgage lenders, can benefit from the information.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at http://www.fema.gov/nfip.

Lora S. Eskandary, CFM, Project Engineer
Engineering Management Branch
Mitigation Directorate

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION
DETERMINATION DOCUMENT (CONTINUED)

We have designated a Consultation Coordination Officer (CCO) to assist your community. The CCO will be the primary liaison between your community and FEMA. For information regarding your CCO, please contact:

Mr. Eugene K. Gruber
Director, Mitigation Division
Federal Emergency Management Agency, Region III
One Independence Mall, Sixth Floor
615 Chestnut Street
Philadelphia, PA 19106-4404
(215) 931-5512

STATUS OF THE COMMUNITY NFIP MAPS

We will not physically revise and republish the FIRM and FIS report for your community to reflect the modifications made by this LOMR at this time. When changes to the previously cited FIRM panel(s) and FIS report warrant physical revision and republication in the future, we will incorporate the modifications made by this LOMR at that time.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at http://www.fema.gov/nfip.

Lora S. Eskandary, CFM, Project Engineer
Engineering Management Branch
Mitigation Directorate

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP REVISION
DETERMINATION DOCUMENT (CONTINUED)

PUBLIC NOTIFICATION OF REVISION

PUBLIC NOTIFICATION

FLOODING SOURCE	LOCATION OF REFERENCED ELEVATION	BFE (FEET NGVD 29)		MAP PANEL NUMBER(S)
		EFFECTIVE	REVISED	
DELAWARE RIVER	Approximately 4,900 feet upstream of the intersection with Conrail	232	234	42095C0186 D
	Approximately 6,050 feet upstream of the intersection with Conrail	239	238	42095C0186 D

Within 90 days of the second publication in the local newspaper, a citizen may request that we reconsider this determination. Any request for reconsideration must be based on scientific or technical data. Therefore, this letter will be effective only after the 90-day appeal period has elapsed and we have resolved any appeals that we receive during this appeal period. Until this LOMR is effective, the revised BFEs presented in this LOMR may be changed.

A notice of changes will be published in the *Federal Register*. A short notice also will be published in your local newspaper on or about the dates listed below. Please refer to FEMA's website at https://www.floodmaps.fema.gov/fhm/Scripts/bfe_main.asp for a more detailed description of proposed BFE changes, which will be posted within a week of the date of this letter.

LOCAL NEWSPAPER Name: *Express Times*
Dates: 01/03/2008 and 01/10/2008

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at 1-877-336-2627 (1-877-FEMA MAP) or by letter addressed to the LOMR Depot, 3601 Eisenhower Avenue, Alexandria, VA 22304. Additional Information about the NFIP is available on our website at http://www.fema.gov/nfip.

Lora S. Eskandary, CFM, Project Engineer
Engineering Management Branch
Mitigation Directorate

DEPARTMENT OF HOMELAND SECURITY

FEDERAL EMERGENCY MANAGEMENT AGENCY

Proposed Base Flood Elevation Determination for (Township of Lower Mount Bethel, Northampton County, PA, and Case No.07-03-1293P) The Department of Homeland Security's Federal Emergency Management Agency solicits technical information or comments on the proposed Base (1-percent-annual-chance) Flood Elevations (BFEs) shown in the Flood Insurance Study (FIS) and/or on the Flood Insurance Rate Map (FIRM) for your community. These proposed BFEs are the basis for the floodplain management measures that your community is required to either adopt or show evidence of having in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP). For a detailed listing of the proposed BFEs and information on the statutory period provided for appeals, please visit FEMA's website at https://www.floodmaps.fema.gov/fhm/Scripts/bfe_main.asp, or call the FEMA Map Assistance Center toll free at 1-877-FEMA MAP.

Download RTF Table

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

Changes to Base Flood Elevations Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Emergency Preparedness and Response Directorate, Department of Homeland Security.

SUMMARY: On April 06, 2001 the Department of Homeland Security's Federal Emergency Management Agency identified Special Flood Hazard Areas (SFHAs) in the TOWNSHIP OF LOWER MOUNT BETHEL, NORTHAMPTON COUNTY, PENNSYLVANIA, through issuance of a Flood Insurance Rate Map (FIRM). The Mitigation Division has determined that modification of the elevations of the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood) for certain locations in this community is appropriate.

DATES: Upon the second publication of notice of these changes in a newspaper of local circulation in your community, any person has 90 days in which he or she can request, through the Chief Executive Officer of the community, that the Mitigation Division reconsider the determination. Any request for reconsideration must be based on knowledge of changed conditions or new scientific or technical data. All interested parties are on notice that until the 90-day period elapses, the Mitigation Division's determination to modify the BFEs may itself be changed.

ADDRESSES: Any person having knowledge or wishing to comment on these changes should immediately notify:

Township of Lower Mount Bethel
The Honorable Charles Palmeri
Chairman, Board of Supervisors
P.O. Box 257 Martins Creek, PA 18063

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., CFM, Chief, Engineering Management Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW, Washington, DC 20472, (202) 646-2903.

SUPPLEMENTARY INFORMATION: A hydraulic analysis was performed to incorporate detailed topographic information and has resulted in an increase in SFHA width, a decrease in SFHA width, increased BFEs and decreased BFEs for Delaware River. The table below indicates existing and modified BFEs for selected locations along the affected lengths of the flooding source (s) cited above.

* Elevation in feet (NGVD)[1]
\+ Elevation in feet (NAVD)[2]
\# Depth in feet above ground

Source of Flooding	Location	Lat/Long Coordinates	Existing BFE	Modified BFE	Affected Communities
Delaware River					Township of Lower Mount Bethel
	Approximately 4,900 feet upstream of the intersection with Conrail	40° 47' 48.746" / -75° 6' 13.826"	* 232	* 234	
	Approximately 6,050 feet upstream of the intersection with Conrail	40° 47' 51.032" / -75° 6' 13.339"	* 239	* 238	

[1]National Geodetic Vertical Datum, rounded to nearest whole foot
[2]North American Vertical Datum, rounded to nearest whole foot

The changes are being made pursuant to Section 206 of the Flood Disaster Protection Act of 1973 (Public Law 93-234) and are in accordance with the National Flood Insurance Act of 1968, as amended (Title XIII of the Housing and Urban Development Act of 1968, Public Law 90-448), 42 U.S.C. 4001-4128, and 44 CFR Part 65.

Under the above-mentioned Acts of 1968 and 1973, the Mitigation Division must develop criteria for floodplain management. To participate in the National Flood Insurance Program (NFIP), the community must use the modified BFEs to administer the floodplain management measures of the NFIP. These modified BFEs will also be used to calculate the appropriate flood insurance premium rates for new buildings and their contents and for the second layer of insurance on existing buildings and contents.

Last Updated: Wednesday, December 19, 2007

FEMA 500 C Street, SW Washington, D.C. 20472 Phone: (202) 566-1600

FLOODING SOURCE		FLOODWAY			BASE FLOOD WATER SURFACE ELEVATION (FEET NGVD)			
CROSS SECTION	DISTANCE[1]	WIDTH[2] (FEET)	SECTION AREA (SQUARE FEET)	MEAN VELOCITY (FEET PER SECOND)	REGULATORY	WITHOUT FLOODWAY	WITH FLOODWAY	INCREASE
Delaware River (continued)								
S	188.09	655	19,894	11.7	204.6	204.6	205.2	0.6
T	188.48	580	17,244	13.5	206.1	206.1	206.6	0.5
U	188.71	690	20,949	11.1	207.8	207.8	208.3	0.5
V	189.23	618	18,301	12.7	209.0	209.0	209.5	0.5
W	189.70	627	18,556	12.5	210.9	210.9	211.3	0.4
X	190.57	821	18,944	12.2	214.6	214.6	215.0	0.4
Y	191.29	1,250	37,452	6.2	221.5	221.5	222.0	0.5
Z	191.76	1,255	31,814	7.3	222.5	222.5	223.3	0.8
AA	192.18	780	21,792	10.6	223.6	223.6	224.3	0.7
AB	192.59	767	23,621	9.8	224.7	224.7	225.4	0.7
AC	193.61	799	19,910	11.6	227.1	227.1	228.0	0.9
AD	194.13	780	19,854	11.6	228.9	228.9	229.6	0.7
AE	194.93	1,060	24,327	9.4	232.5	232.5	233.0	0.5
AF	195.37	614	13,833	16.6	234.0	234.0	234.0	0.0
AG	196.28	443	11,094	20.7	238.4	238.4	238.7	0.3
AH	196.70	709	16,297	14.1	246.2	246.2	246.2	0.0
AI	197.23	797	17,379	13.4	250.8	250.8	251.0	0.2
AJ	197.67	683	17,850	12.9	253.7	253.7	253.8	0.1
AK	197.93	900	18,143	12.7	255.4	255.4	255.6	0.2
AL	198.06	924	21,287	10.8	256.7	256.7	256.9	0.2
AM	198.23	744	20,103	11.4	257.0	257.0	257.2	0.2
AN	198.84	480	111,983	20.5	257.7	257.7	257.8	0.1
AO	199.04	530	11,717	19.6	259.9	259.9	260.3	0.4

[1] Miles above confluence with Delaware Bay
[2] Width extends beyond county boundary

Revised Data

REVISED TO REFLECT LOMR EFFECTIVE APR 10 2008

TABLE 4

FEDERAL EMERGENCY MANAGEMENT AGENCY

NORTHAMPTON COUNTY, PA
(ALL JURISDICTIONS)

FLOODWAY DATA

DELAWARE RIVER

FEDERAL EMERGENCY MANAGEMENT AGENCY

NORTHAMPTON COUNTY, PA

(ALL JURISDICTIONS)

FLOOD PROFILES

DELAWARE RIVER

REVISED TO REFLECT LOMR EFFECTIVE APR 10 2008

23P

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program; is does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size, or all planimetric features outside Special Flood Hazard Areas. The community map repository should be consulted for possible updated flood hazard information prior to use of this map for property purchase or construction purposes.

To obtain more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Floodway Data tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations and therefore may not exactly reflect the flood elevation data presented in the FIS report. For construction and/or floodplain management purposes, users are encouraged to use the flood elevation data presented in the FIS report in conjunction with the data shown on this FIRM.

Elevation Reference Mark (ERM) elevations listed on this map were obtained and/or developed to establish vertical control for determination of flood elevations and floodplain boundaries portrayed on this map. Users should be aware that these ERM elevations may have changed since the publication of this map. To obtain up-to-date elevation information on National Geodetic Survey (NGS) ERMs shown on this map, please contact the Information Servies Branch of the NGS at (301) 713-3242, or visit their website at WWW.NGS.NOAA.GOV. Map uers should seek verification of non-NGS ERM monument elevations when using these elevations for construction or floodplain management purposes.

Coastal base flood elevations apply only landward of 0.0' National Geodetic Vertical Datum of 1929 (NGVD), and include the effects of wave action; these elevations may also differ significantly from those developed by the National Weather Service for hurricane evacuation planning.

Areas of special flood hazard (100-year flood) include Zones A, AE, AH, AO, A99, V, and VE.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures.

Boundaries of the floodways were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the Federal Emergency Management Agency.

Floodway widths in some areas may be too narrow to show to scale. Floodway widths are provided in the Flood Insurance Study Report.

Corporate limits shown on this map are based on the best data available. The user should contact appropriate community officials to verify the corporate limit delineations shown on this map.

For community map revision history prior to countywide mapping, see section 6.0 of the Flood Insurance Study Report.

For adjoining map panels see separately printed Map Index.

DIGITAL DATA AVAILABILITY: Digital files containing the thematic floodplain information show on this map can be made available on CD-ROM by request. The files are currently archived in MicroStation design (DGN) file format referenced to the Universal Transverse Mercator (UTM) projection and the North American Datum of 1927 (NAD27). To obtain the digital files, send a written request to: Flood Insurance Information Specialist, 2977 Prosperity Avenue, Fairfax, Virginia 22031. Telephone (703) 876-0148, FAX (703) 876-0073.

NOTE: The coordinate system used for the production of this Flood Insurance Rate Map (FIRM) is Universal Transverse Mercator (UTM), North American Datum of 1927 (NAD27), Clarke 1899 spheroid. Corner coordinates shown on the FIRM are in latitude and longitude referenced to the Universal Transverse Mercator project, NAD27. Difference in the datum and spheroid used in the production of FIRMs for adjacent counties may result in slight positional differences in map features at the county boundaries. These differences do not affect the accuracy of the information shown on the FIRM.

ATTENTION: Flood elevations on this map are referenced to the National Geodetic Vertical Datum of 1929. These flood elevations must be compared to structure and ground elevation referenced at the same datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the National American Vertical Datum of 1988, contact the National Geodetic Sruvey at the following address:

Vertical Newtork Branch, N/CG13
National Geodetic Survey, NOAA
Silver Spring Metro Center 3
1315 East-West Highway
Silver Spring, Maryland 20910
(301) 713-3191

BASE MAP SOURCE: Planimetric base map files were provided in digital format by the county of Northampton Geographic Information System. These files were compiled at scales of 1:1,200 and 1:4,800 from orthophotos and parcel maps.

ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION IN FT. (NGVD) [1]	DESCRIPTION OF LOCATION
RM 186-1	241.87	Chiseled square on northeast corner of concrete headwall at east end of Township Route 678 where private road leads south.
RM 186-2	223.15	Chiseled square cut on top of bridge parapet on northeast corner of bridge over Oughoughton Creek on Township Route 661.

[1] National Geodetic Vertical Datum of 1929

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

ZONE A	No base flood elevations determined.
ZONE AE	Base flood elevations determined.
ZONE AH	Flood depths of 1 to 3 feet (usually areas of pond); base flood elevations determined.
ZONE AO	Flood dpeths of 1 to 3 feet (usually sheet flow on sloping terrain); average dpths determined. For areas of alluvial fan flooding, velocities also determined.
ZONE A99	To be protected from 100-year flood by Federa flood protection system under construction; no base flood elevations determined.
ZONE V	Coastal flood with velocity hazard (wave action); no base flood elevations determined.
ZONE VE	Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE

OTHER FLOOD AREAS

ZONE X	Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

ZONE X	Areas determined to be outside 500-year floodplain.
ZONE D	Areas in which flood hazards are undetermined, but possible.

UNDEVELOPED COASTAL BARRIERS*

Identified 1983 | Identified 1990 or Later | Otherwise Protected Areas Identified 1991 or Later

* Coastal barrier areas are normally located within or adjacent to Special Flood Hazard Areas.

Floodplain Boundary

Floodway Boundary

Zone D Boundary

Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Costal Base Flood Elevations Within Special Flood Hazard Zones.

513 — Base Flood Elevation Line; Elevation in Feet**

A — A — Cross Section Line

23 - - - - 23 — Transect Line

(EL 987) — Base Flood Elevation in Feet Where Uniform Within Zone**

RM7 × — Elevation Reference Mark

• M1.5 — River Mile

**Reference to the National Geodetic Vertical Datum of 1929

MAP REPOSITORY

Refer to Repository Listing on Map Index

EFFECTIVE DATE OF COUNTYWIDE
FLOOD INSURANCE RATE MAP
APRIL 6, 2001

EFFECTIVE DATE(S) OF REIVION(S) TO THIS PANEL

Please refer to the Listing of Communites table on the FIRM index for NFIP Initial Identification and Post-FIRM dates for all jurisdictions shown on this map.

To determine if flood insurance is available in the community, contact your insurance agent of call the National Flood Insurance Program at (800) 638-6620.

APPROXIMATE SCALE
500 0 500 FEET

NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

NORTHAMPTON COUNTY, PENNSYLVANIA
(ALL JURISDICTIONS)

PANEL 186 OF 355

(SEE MAP INDEX FOR PANELS NOT PRINTED)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
LOWER MOUNT BETHEL TWP OF	420724	0186	D

Notice to User The MAP NUMBER shown below should be used when placing map orders; the COMMUNITY NUMBER shown above should be used on insurance applications for the subject community.

MAP NUMBER
42095C0186 D

EFFECTIVE DATE:
APRIL 6, 2001

Federal Emergency Management Agency