Date: August 27, 1999 | Case No.: 99-03-1248A | LOMA

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	TOWNSHIP OF WASHINGTON, SCHUYLKILL COUNTY, PENNSYLVANIA	A parcel of land, as described and recorded in a Deed, Deed Book 1084, Pages 479-482, on July 16, 1999, filed by the Schuylkill County Recorder of Deeds
	COMMUNITY NO: **422506**	
MAP PANEL AFFECTED	NUMBER: **0005 A**	
	NAME: **TOWNSHIP OF WASHINGTON, SCHUYLKILL COUNTY, PENNSYLVANIA**	
	DATE: **FEBRUARY 2, 1990**	
FLOODING SOURCE: UPPER LITTLE SWATARA CREEK		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: **40.565200, -76.321300** SOURCE OF LAT & LONG: **MAP BLAST!** DATUM: **NAD83**

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET ADDRESS	OUTCOME WHAT IS REMOVED FROM THE SFHA	NEW FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (NGVD29)	LOWEST ADJACENT GRADE ELEVATION (NGVD29)	LOWEST FLOOR ELEVATION (NGVD29)	LOWEST LOT ELEVATION (NGVD29)
—	—	—	Paradise Road (North State Route 3002 East) at State Route 3008	Residential Structure	X(unshaded)	601.6 feet	611.0 feet	607.1 feet	—

Special Flood Hazard Area (SFHA) – The **SFHA** is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (if the appropriate box is checked, please refer to the appropriate section on Attachment 1)

- ☐ 1. LEGAL PROPERTY DESCRIPTION (CONTINUED)
- ☐ 2. DETERMINATION TABLE (CONTINUED)
- ☐ 3. PORTIONS REMAIN IN THE FLOODWAY
- ☐ 4. INADVERTENT INCLUSION IN THE FLOODWAY
- ☐ 5. V ZONE
- ☐ 6. STUDY UNDERWAY
- ☐ 7. FILL RECOMMENDATION
- ☒ 8. PORTIONS REMAIN IN THE SFHA

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure on the property is not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)
ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

8. PORTIONS OF THE PROPERTY REMAIN IN THE SFHA

This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the Federal Emergency Management Agency Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate