 | Date: June 6, 2000 | Case No.: 99-03-1460A | LOMA

Federal Emergency Management Agency

Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)

COMMUNITY AND MAP PANEL INFORMATION		LEGAL PROPERTY DESCRIPTION
COMMUNITY	TOWNSHIP OF CONEMAUGH, SOMERSET COUNTY, PENNSYLVANIA	A parcel of land, as described and recorded in Deed Number 050739, in Record Book Volume 1067, on Pages 995-999, as filed by the Somerset County Recorder, on August 30,1989
	COMMUNITY NO.: 422047	
AFFECTED MAP PANEL	NUMBER: 4220470005A	
	NAME: TOWNSHIP OF CONEMAUGH, SOMERSET COUNTY, PENNSYLVANIA	
	DATE: 06/04/1990	
FLOODING SOURCE: NORTH FORK BENS CREEK		APPROXIMATE LATITUDE & LONGITUDE OF PROPERTY: 40.267, -78.999 SOURCE OF LAT & LONG: PRECISION MAPPING STREETS 3.0 DATUM: NAD83

DETERMINATION

LOT	BLOCK/ SECTION	SUBDIVISION	STREET ADDRESS	OUTCOME WHAT IS REMOVED FROM THE SFHA	FLOOD ZONE	1% ANNUAL CHANCE FLOOD ELEVATION (LOCAL DATUM)	LOWEST ADJACENT GRADE ELEVATION (LOCAL DATUM)	LOWEST FLOOR ELEVATION (LOCAL DATUM)	LOWEST LOT ELEVATION (LOCAL DATUM)
—	—	—	588 Saylor School Road	Structure	X(unshaded)	96.5 feet	106.1 feet	—	—

Special Flood Hazard Area (SFHA) - The SFHA is an area that would be inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood).

ADDITIONAL CONSIDERATIONS (Please refer to the appropriate section on Attachment 1 for the additional considerations listed below.)

PORTIONS REMAIN IN THE SFHA
SOURCE OF BASE FLOOD ELEVATION
ZONE A

This document provides the Federal Emergency Management Agency's determination regarding a request for a Letter of Map Amendment for the property described above. Using the information submitted and the effective National Flood Insurance Program (NFIP) map, we have determined that the structure(s) on the property(ies) is/are not located in the SFHA, an area inundated by the flood having a 1-percent chance of being equaled or exceeded in any given year (base flood). This document amends the effective NFIP map to remove the subject property from the SFHA located on the effective NFIP map; therefore, the Federal mandatory flood insurance requirement does not apply. However, the lender has the option to continue the flood insurance requirement to protect its financial risk on the loan. A Preferred Risk Policy (PRP) is available for buildings located outside the SFHA. Information about the PRP and how one can apply is enclosed.

This determination is based on the flood data presently available. The enclosed documents provide additional information regarding this determination. If you have any questions about this document, please contact the FEMA Map Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate

Version 1.3.1 MX1720220053100133785173 0

Federal Emergency Management Agency
Washington, D.C. 20472

LETTER OF MAP AMENDMENT
DETERMINATION DOCUMENT (REMOVAL)
ATTACHMENT 1 (ADDITIONAL CONSIDERATIONS)

PORTIONS OF THE PROPERTY REMAIN IN THE SFHA (This Additional Consideration applies to the preceding 1 Property.)
This Determination Document has removed the subject of the determination from the Special Flood Hazard Area (SFHA). However, portions of the property may remain in the SFHA. Therefore, any future construction or substantial improvement on the property remains subject to Federal, State/Commonwealth, and local regulations for floodplain management.

SOURCE OF BASE FLOOD ELEVATION (This Additional Consideration applies to the preceding 1 Property.)

Attached is a copy of the source for the Base Flood Elevation that we used in our determination for the subject property. This information represents the best flood data available at this time.

ZONE A (This Additional Consideration applies to the preceding 1 Property.)

The NFIP map affecting this property depicts an SFHA that was determined using the best flood hazard data available to FEMA, but without performing a detailed engineering analysis. The flood elevation used to make this determination is based on approximate methods and has not been formalized through the standard process for establishing base flood elevations published in the Flood Insurance Study. This flood elevation is subject to change.

This attachment provides additional information regarding this request. If you have any questions about this attachment, please contact the FEMA Ma Assistance Center toll free at (877) 336-2627 (877-FEMA MAP) or by letter addressed to the Federal Emergency Management Agency, P.O. Box 2210, Merrifield, VA 22116-2210.

Matthew B. Miller

Matthew B. Miller, P.E., Chief
Hazards Study Branch
Mitigation Directorate