HAZUS-MH: Flood Event Report

Region Name: AlleghenyCoMR2

Flood Study Case: AlleghenyMR2

Print Date: Monday, March 05, 2007

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific Flood. These results can be improved by using enhanced inventory data and flood hazard information.

Table of Contents

Se	ction	Page #
Ge	neral Description of the Region	3
Bu	ilding Inventory	4
	General Building Stock	
	Essential Facility Inventory	
Flo	ood Scenario Parameters	5
Bu	ilding Damage	6
	General Building Stock	
	Essential Facilities Damage	
Inc	luced Flood Damage	8
	Debris Generation	
So	cial Impact	8
	Shelter Requirements	
Ec	onomic Loss	9
	Building-Related Losses	
Δr	pendix A: County Listing for the Region	10
_		11
An	pendix B: Regional Population and Building Value Data	11

General Description of the Region

HAZUS is a regional multi-hazard loss estimation model that was developed by the Federal Emergency Management Agency (FEMA) and the National Institute of Building Sciences (NIBS). The primary purpose of HAZUS is to provide a methodology and software application to develop multi-hazard losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from multi-hazards and to prepare for emergency response and recovery.

The flood loss estimates provided in this report were based on a region that included 1 county(ies) from the following state(s):

- Pennsylvania

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 730 square miles and contains 24,032 census blocks. There are over 537 thousand households in the region and has a total population of 1,281,666 people (2000 Census Bureau data). The distribution of population by State and County for the study region is provided in Appendix B.

There are an estimated 392,928 buildings in the region with a total building replacement value (excluding contents) of 92,364 million dollars (2002 dollars). Approximately 98.09% of the buildings (and 79.37% of the building value) are associated with residential housing.

General Building Stock

HAZUS estimates that there are 392,928 buildings in the region which have an aggregate total replacement value of 92,364 million (2002 dollars). Table 1 and Table 2 present the relative distribution of the value with respect to the general occupancies by Study Region and Study Case respectively. Appendix B provides a general distribution of the building value by State and County.

Table 1
Building Exposure by Occupancy Type for the Study Region

Occupancy	Exposure (\$1000)	Percent of Total
Residential	73,310,486	79.4%
Commercial	14,432,934	15.6%
Industrial	2,783,518	3.0%
Agricultural	76,031	0.1%
Religion	769,634	0.8%
Government	231,862	0.3%
Education	759,253	0.8%
Total	92,363,718	100.00%

Table 2
Building Exposure by Occupancy Type for the Study Case

Occupancy	Exposure (\$1000)	Percent of Total
Residential	8,469,397	59.3%
Commercial	4,265,123	29.8%
Industrial	1,103,731	7.7%
Agricultural	21,587	0.2%
Religion	222,066	1.6%
Government	73,410	0.5%
Education	135,424	0.9%
Total	14,290,738	100.00%

Essential Facility Inventory

For essential facilities, there are 32 hospitals in the region with a total bed capacity of 8,111 beds. There are 524 schools, 123 fire stations, 123 police stations and 2 emergency operation center.

Flood Scenario Parameters

HAZUS used the following set of information to define the flood parameters for the flood loss estimate provided in this report.

Study Region Name: AlleghenyCoMR2

Scenario Name: AlleghenyMR2

Return Period Analyzed: 50

Analysis Options Analyzed: 0

General Building Stock Damage

HAZUS estimates that about 6,704 buildings will be at least moderately damaged. This is over 32% of the total number of buildings in the region. There are an estimated 565 buildings that will be completely destroyed. The definition of the 'damage states' is provided in Volume 1: Chapter 6 of the HAZUS Flood technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 summarizes the expected damage by general building type.

Table 3: Expected Building Damage by Occupancy

	1-	10	11-2	20	21-	30	31-4	0	41-5	0	Substan	tially
Occupancy	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	338	48.29	203	29.00	127	18.14	7	1.00	6	0.86	19	2.71
Education	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Government	30	62.50	8	16.67	9	18.75	1	2.08	0	0.00	0	0.00
Industrial	92	85.19	8	7.41	3	2.78	1	0.93	4	3.70	0	0.00
Religion	0	0.00	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00
Residential	3,321	47.78	1,690	24.31	874	12.57	342	4.92	178	2.56	546	7.85
Total	3,781		1,909		1,014		351		188		565	

Table 4: Expected Building Damage by Building Type

Building	1-10)	11-20)	21-30		31-40		41-5	50	Substanti	ally
Type -	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Concrete	50	61.73	17	20.99	14	17.28	0	0.00	0	0.00	0	0.00
ManufHousing	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Masonry	1,206	48.94	591	23.99	315	12.78	108	4.38	58	2.35	186	7.55
Steel	242	57.08	104	24.53	60	14.15	6	1.42	3	0.71	9	2.12
Wood	2,267	47.36	1,181	24.67	616	12.87	236	4.93	122	2.55	365	7.62

Essential Facility Damage

Before the flood analyzed in this study case, the region had 0 hospital beds available for use. On the day of the study case flood event, the model estimates that 0 hospital beds are available in the region.

Table 5: Expected Damage to Essential Facilities

Facilities

Classification	Total	At Least Moderate	At Least Substantial	Loss of Use
Fire Stations	123	0	0	0
Hospitals	32	0	0	0
Police Stations	123	0	0	0
Schools	524	0	0	0

If this report displays all zeros or is blank, two possibilities can explain this.

- (1) None of your facilities were flooded. This can be checked by mapping the inventory data on the depth grid.
- (2) The analysis was not run. This can be tested by checking the run box on the Analysis Menu and seeing if a message box asks you to replace the existing results.

Induced Flood Damage

Debris Generation

HAZUS estimates the amount of debris that will be generated by the flood. The model breaks debris into three general categories: 1) Finishes (dry wall, insulation, etc.), 2) Structural (wood, brick, etc.) and 3) Foundations (concrete slab, concrete block, rebar, etc.). This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 1,441,047 tons of debris will be generated. Of the total amount, Finishes comprises 16% of the total, Structure comprises 48% of the total. If the debris tonnage is converted into an estimated number of truckloads, it will require 57,642 truckloads (@25 tons/truck) to remove the debris generated by the flood.

Social Impact

Shelter Requirements

HAZUS estimates the number of households that are expected to be displaced from their homes due to the flood and the associated potential evacuation. HAZUS also estimates those displaced people that will require accommodations in temporary public shelters. The model estimates 11,962 households will be displaced due to the flood. Displacement includes households evacuated from within or very near to the inundated area. Of these, 29,956 people (out of a total population of 1,281,666) will seek temporary shelter in public shelters.

Economic Loss

The total economic loss estimated for the flood is 9,098.79 million dollars, which represents 63.67 % of the total replacement value of the study case buildings.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the flood. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the flood.

The total building-related losses were 5,113.12 million dollars. 44% of the estimated losses were related to the business interruption of the region. The residential occupancies made up 14.48% of the total loss. Table 6 below provides a summary of the losses associated with the building damage.

Table 6: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Residential	Commercial	Industrial	Others	Total
Building Lo	<u>ss</u>					
	Building	766.45	1,038.98	240.36	66.77	2,112.57
	Content	457.88	1,696.39	530.08	206.32	2,890.68
	Inventory	0.00	32.90	75.73	1.25	109.87
	Subtotal	1,224.34	2,768.27	846.17	274.34	5,113.12
Business Ir	nterruption					
	Income	16.04	1,156.31	21.58	58.00	1,251.93
	Relocation	17.70	147.27	4.37	20.11	189.45
	Rental Income	21.51	103.66	1.12	3.70	129.99
	Wage	37.63	878.20	22.11	1,476.37	2,414.32
	Subtotal	92.87	2,285.45	49.17	1,558.18	3,985.67
<u>ALL</u>	Total	1,317.21	5,053.71	895.34	1,832.52	9,098.79

Appendix A: County Listing for the Region

Pennsylvania

- Allegheny

Appendix B: Regional Population and Building Value Data

Building Value (thousands of dollars)

	Population	Residential	Non-Residential	Total
Pennsylvania	_			
Allegheny	1,281,666	73,310,486	19,053,232	92,363,718
Total State	1,281,666	73,310,486	19,053,232	92,363,718
Total Study Region	1,281,666	73,310,486	19,053,232	92,363,718