# **HAZUS-MH: Flood Event Report**

Region Name: BerksMR2

Flood Study Case: CountywideMR2

Print Date: Tuesday, November 28, 2006

#### Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific Flood. These results can be improved by using enhanced inventory data and flood hazard information.

## **Table of Contents**

Se	ction	Page #
Ge	neral Description of the Region	3
Bu	ilding Inventory	4
	General Building Stock	
	Essential Facility Inventory	
Flo	ood Scenario Parameters	5
Bu	ilding Damage	6
	General Building Stock	
	Essential Facilities Damage	
Inc	luced Flood Damage	8
	Debris Generation	
So	cial Impact	8
	Shelter Requirements	
Ec	onomic Loss	9
	Building-Related Losses	
Δr	pendix A: County Listing for the Region	10
_		11
An	pendix B: Regional Population and Building Value Data	11

### General Description of the Region

HAZUS is a regional multi-hazard loss estimation model that was developed by the Federal Emergency Management Agency (FEMA) and the National Institute of Building Sciences (NIBS). The primary purpose of HAZUS is to provide a methodology and software application to develop multi-hazard losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from multi-hazards and to prepare for emergency response and recovery.

The flood loss estimates provided in this report were based on a region that included 1 county(ies) from the following state(s):

- Pennsylvania

#### Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 859 square miles and contains 9,113 census blocks. There are over 142 thousand households in the region and has a total population of 373,638 people (2000 Census Bureau data). The distribution of population by State and County for the study region is provided in Appendix B.

There are an estimated 114,136 buildings in the region with a total building replacement value (excluding contents) of 21,941 million dollars (2002 dollars). Approximately 98.60% of the buildings (and 80.63% of the building value) are associated with residential housing.

#### **General Building Stock**

HAZUS estimates that there are 114,136 buildings in the region which have an aggregate total replacement value of 21,941 million (2002 dollars). Table 1 and Table 2 present the relative distribution of the value with respect to the general occupancies by Study Region and Study Case respectively. Appendix B provides a general distribution of the building value by State and County.

Table 1
Building Exposure by Occupancy Type for the Study Region

Occupancy	Exposure (\$1000)	Percent of Total
Residential	17,692,013	80.6%
Commercial	2,604,816	11.9%
Industrial	1,232,441	5.6%
Agricultural	127,296	0.6%
Religion	170,498	0.8%
Government	39,082	0.2%
Education	74,859	0.3%
Total	21,941,005	100.00%

Table 2
Building Exposure by Occupancy Type for the Study Case

Occupancy	Exposure (\$1000)	Percent of Total	
Residential	2,428,128	68.7%	
Commercial	409,245	11.6%	
Industrial	622,393	17.6%	
Agricultural	38,879	1.1%	
Religion	19,687	0.6%	
Government	8,844	0.3%	
Education	7,085	0.2%	
Total	3,534,261	100.00%	

#### **Essential Facility Inventory**

For essential facilities, there are 4 hospitals in the region with a total bed capacity of 1,268 beds. There are 165 schools, 57 fire stations, 37 police stations and 1 emergency operation center.

## Flood Scenario Parameters

HAZUS used the following set of information to define the flood parameters for the flood loss estimate provided in this report.

Study Region Name: BerksMR2

Scenario Name: CountywideMR2

Return Period Analyzed: 50
Analysis Options Analyzed: 0

#### **General Building Stock Damage**

HAZUS estimates that about 626 buildings will be at least moderately damaged. This is over 43% of the total number of buildings in the region. There are an estimated 32 buildings that will be completely destroyed. The definition of the 'damage states' is provided in Volume 1: Chapter 6 of the HAZUS Flood technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 summarizes the expected damage by general building type.

**Table 3: Expected Building Damage by Occupancy** 

	1-1	10	11-2	20	21-3	0	31-4	0	41-5	0	Substan	tially
Occupancy	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Education	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Government	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Industrial	4	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Religion	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Residential	482	68.76	90	12.84	49	6.99	21	3.00	27	3.85	32	4.56
Total	487		90		49		21		27		32	

Table 4: Expected Building Damage by Building Type

Building	1-10	ס	11-20	)	21-30		31-40		41-5	50	Substanti	ally
Type —	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Concrete	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
ManufHousing	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Masonry	147	69.01	25	11.74	15	7.04	6	2.82	9	4.23	11	5.16
Steel	4	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Wood	336	68.71	65	13.29	34	6.95	15	3.07	18	3.68	21	4.29

### **Essential Facility Damage**

Before the flood analyzed in this study case, the region had 0 hospital beds available for use. On the day of the study case flood event, the model estimates that 0 hospital beds are available in the region.

**Table 5: Expected Damage to Essential Facilities** 

# Facilities

Classification	Total	At Least Moderate	At Least Substantial	Loss of Use
Fire Stations	57	0	0	0
Hospitals	4	0	0	0
Police Stations	37	0	0	0
Schools	165	0	0	0

If this report displays all zeros or is blank, two possibilities can explain this.

- (1) None of your facilities were flooded. This can be checked by mapping the inventory data on the depth grid.
- (2) The analysis was not run. This can be tested by checking the run box on the Analysis Menu and seeing if a message box asks you to replace the existing results.

#### **Induced Flood Damage**

#### **Debris Generation**

HAZUS estimates the amount of debris that will be generated by the flood. The model breaks debris into three general categories: 1) Finishes (dry wall, insulation, etc.), 2) Structural (wood, brick, etc.) and 3) Foundations (concrete slab, concrete block, rebar, etc.). This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 62,664 tons of debris will be generated. Of the total amount, Finishes comprises 25% of the total, Structure comprises 43% of the total. If the debris tonnage is converted into an estimated number of truckloads, it will require 2,507 truckloads (@25 tons/truck) to remove the debris generated by the flood.

#### **Social Impact**

#### **Shelter Requirements**

HAZUS estimates the number of households that are expected to be displaced from their homes due to the flood and the associated potential evacuation. HAZUS also estimates those displaced people that will require accommodations in temporary public shelters. The model estimates 1,557 households will be displaced due to the flood. Displacement includes households evacuated from within or very near to the inundated area. Of these, 2,624 people (out of a total population of 373,638) will seek temporary shelter in public shelters.

#### **Economic Loss**

The total economic loss estimated for the flood is 300.66 million dollars, which represents 11.78 % of the total replacement value of the study case buildings.

#### **Building-Related Losses**

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the flood. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the flood.

The total building-related losses were 241.00 million dollars. 20% of the estimated losses were related to the business interruption of the region. The residential occupancies made up 35.08% of the total loss. Table 6 below provides a summary of the losses associated with the building damage.

Table 6: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Residential	Commercial	Industrial	Others	Total
Building Lo	oss_					
	Building	67.47	7.85	32.24	1.64	109.20
	Content	35.57	19.38	65.21	3.65	123.80
	Inventory	0.00	0.59	7.41	0.00	8.00
	Subtotal	103.04	27.81	104.85	5.29	241.00
Business Ir	nterruption					
	Income	0.36	13.65	6.94	2.74	23.68
	Relocation	0.86	0.84	0.22	0.43	2.35
	Rental Income	0.38	0.58	0.06	0.06	1.08
	Wage	0.84	15.02	4.30	12.39	32.55
	Subtotal	2.44	30.09	11.51	15.62	59.66
<u>ALL</u>	Total	105.48	57.91	116.37	20.91	300.66

### **Appendix A: County Listing for the Region**

Pennsylvania

- Berks

### **Appendix B: Regional Population and Building Value Data**

### **Building Value (thousands of dollars)**

	Population	Residential	Non-Residential	Total
Pennsylvania	<b>3</b>			
Berks	373,638	17,692,013	4,248,992	21,941,005
Total State	373,638	17,692,013	4,248,992	21,941,005
Total Study Region	373,638	17,692,013	4,248,992	21,941,005