HAZUS-MH: Flood Event Report

Region Name: ChesterMR2

Flood Study Case: ChesterMR2

Print Date: Wednesday, January 17, 2007

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific Flood. These results can be improved by using enhanced inventory data and flood hazard information.

Table of Contents

Se	ction	Page #
Ge	neral Description of the Region	3
Bu	ilding Inventory	4
	General Building Stock	
	Essential Facility Inventory	
Flo	ood Scenario Parameters	5
Bu	ilding Damage	6
	General Building Stock	
	Essential Facilities Damage	
Inc	luced Flood Damage	8
	Debris Generation	
So	cial Impact	8
	Shelter Requirements	
Ec	onomic Loss	9
	Building-Related Losses	
Δr	pendix A: County Listing for the Region	10
_		11
An	pendix B: Regional Population and Building Value Data	11

General Description of the Region

HAZUS is a regional multi-hazard loss estimation model that was developed by the Federal Emergency Management Agency (FEMA) and the National Institute of Building Sciences (NIBS). The primary purpose of HAZUS is to provide a methodology and software application to develop multi-hazard losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from multi-hazards and to prepare for emergency response and recovery.

The flood loss estimates provided in this report were based on a region that included 1 county(ies) from the following state(s):

- Pennsylvania

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 756 square miles and contains 7,780 census blocks. There are over 158 thousand households in the region and has a total population of 433,501 people (2000 Census Bureau data). The distribution of population by State and County for the study region is provided in Appendix B.

There are an estimated 137,844 buildings in the region with a total building replacement value (excluding contents) of 29,535 million dollars (2002 dollars). Approximately 98.44% of the buildings (and 82.29% of the building value) are associated with residential housing.

General Building Stock

HAZUS estimates that there are 137,844 buildings in the region which have an aggregate total replacement value of 29,535 million (2002 dollars). Table 1 and Table 2 present the relative distribution of the value with respect to the general occupancies by Study Region and Study Case respectively. Appendix B provides a general distribution of the building value by State and County.

Table 1
Building Exposure by Occupancy Type for the Study Region

Occupancy	Exposure (\$1000)	Percent of Total
Residential	24,305,382	82.3%
Commercial	3,577,894	12.1%
Industrial	1,062,241	3.6%
Agricultural	131,962	0.4%
Religion	214,394	0.7%
Government	50,199	0.2%
Education	193,408	0.7%
Total	29,535,480	100.00%

Table 2
Building Exposure by Occupancy Type for the Study Case

Occupancy	Exposure (\$1000)	Percent of Total
Residential	3,400,960	84.7%
Commercial	358,862	8.9%
Industrial	190,388	4.7%
Agricultural	20,928	0.5%
Religion	23,746	0.6%
Government	3,048	0.1%
Education	15,438	0.4%
Total	4,013,370	100.00%

Essential Facility Inventory

For essential facilities, there are 9 hospitals in the region with a total bed capacity of 1,426 beds. There are 198 schools, 24 fire stations, 37 police stations and 1 emergency operation center.

Flood Scenario Parameters

HAZUS used the following set of information to define the flood parameters for the flood loss estimate provided in this report.

Study Region Name:ChesterMR2Scenario Name:ChesterMR2

Return Period Analyzed: 200
Analysis Options Analyzed: 0

General Building Stock Damage

HAZUS estimates that about 857 buildings will be at least moderately damaged. This is over 47% of the total number of buildings in the region. There are an estimated 4 buildings that will be completely destroyed. The definition of the 'damage states' is provided in Volume 1: Chapter 6 of the HAZUS Flood technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 summarizes the expected damage by general building type.

Table 3: Expected Building Damage by Occupancy

	1-1	10	11-2	20	21-3	0	31-4	0	41-5	0	Substant	tially
Occupancy	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	12	80.00	3	20.00	0	0.00	0	0.00	0	0.00	0	0.00
Education	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Government	1 1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Industrial	5 ′	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Religion	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Residential	663	74.08	119	13.30	54	6.03	33	3.69	22	2.46	4	0.45
Total	681		122		54		33		22		4	

Table 4: Expected Building Damage by Building Type

Building Type —	1-10)	11-20)	21-30		31-40		41-5	i0	Substanti	ally
	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Concrete	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
ManufHousing	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Masonry	209	73.08	41	14.34	17	5.94	10	3.50	8	2.80	1	0.35
Steel	10	90.91	1	9.09	0	0.00	0	0.00	0	0.00	0	0.00
Wood	462	74.64	80	12.92	37	5.98	23	3.72	14	2.26	3	0.48

Essential Facility Damage

Before the flood analyzed in this study case, the region had 0 hospital beds available for use. On the day of the study case flood event, the model estimates that 0 hospital beds are available in the region.

Table 5: Expected Damage to Essential Facilities

Facilities

Classification	Total	At Least Moderate	At Least Substantial	Loss of Use
Fire Stations	24	0	0	0
Hospitals	9	0	0	0
Police Stations	37	0	0	0
Schools	198	0	0	0

If this report displays all zeros or is blank, two possibilities can explain this.

- (1) None of your facilities were flooded. This can be checked by mapping the inventory data on the depth grid.
- (2) The analysis was not run. This can be tested by checking the run box on the Analysis Menu and seeing if a message box asks you to replace the existing results.

Induced Flood Damage

Debris Generation

HAZUS estimates the amount of debris that will be generated by the flood. The model breaks debris into three general categories: 1) Finishes (dry wall, insulation, etc.), 2) Structural (wood, brick, etc.) and 3) Foundations (concrete slab, concrete block, rebar, etc.). This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 64,937 tons of debris will be generated. Of the total amount, Finishes comprises 31% of the total, Structure comprises 39% of the total. If the debris tonnage is converted into an estimated number of truckloads, it will require 2,597 truckloads (@25 tons/truck) to remove the debris generated by the flood.

Social Impact

Shelter Requirements

HAZUS estimates the number of households that are expected to be displaced from their homes due to the flood and the associated potential evacuation. HAZUS also estimates those displaced people that will require accommodations in temporary public shelters. The model estimates 1,805 households will be displaced due to the flood. Displacement includes households evacuated from within or very near to the inundated area. Of these, 3,503 people (out of a total population of 433,501) will seek temporary shelter in public shelters.

Economic Loss

The total economic loss estimated for the flood is 449.72 million dollars, which represents 11.82 % of the total replacement value of the study case buildings.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the flood. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the flood.

The total building-related losses were 268.38 million dollars. 40% of the estimated losses were related to the business interruption of the region. The residential occupancies made up 33.72% of the total loss. Table 6 below provides a summary of the losses associated with the building damage.

Table 6: Building-Related Economic Loss Estimates

(Millions of dollars)

Category	Area	Residential	Commercial	Industrial	Others	Total
Building Lo	<u> </u>					
	Building	97.50	17.42	9.24	2.72	126.88
	Content	53.24	44.40	27.30	9.93	134.87
	Inventory	0.00	1.31	5.26	0.05	6.62
	Subtotal	150.75	63.14	41.80	12.69	268.38
Business Ir	nterruption					
	Income	0.02	30.17	0.95	2.66	33.80
	Relocation	0.60	2.89	0.01	0.71	4.21
	Rental Income	0.23	2.00	0.00	0.12	2.36
	Wage	0.05	31.38	1.50	108.05	140.98
	Subtotal	0.91	66.44	2.46	111.54	181.34
<u>ALL</u>	Total	151.66	129.58	44.26	124.23	449.72

Appendix A: County Listing for the Region

Pennsylvania

- Chester

Appendix B: Regional Population and Building Value Data

Building Value (thousands of dollars)

	Population	Residential	Non-Residential	Total
Pennsylvania	_			
Chester	433,501	24,305,382	5,230,098	29,535,480
Total State	433,501	24,305,382	5,230,098	29,535,480
Total Study Region	433,501	24,305,382	5,230,098	29,535,480