# **HAZUS-MH: Flood Event Report**

Region Name:	ClearfieldCoMR2
Flood Study Case:	ClearfieldMR2
Print Date:	Thursday, April 26, 2007

#### Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific Flood. These results can be improved by using enhanced inventory data and flood hazard information.

## Table of Contents

Section	Page #	
General Description of the Region	3	
Building Inventory	4	
General Building Stock		
Essential Facility Inventory		
Flood Scenario Parameters	5	
Building Damage	6	
General Building Stock		
Essential Facilities Damage		
Induced Flood Damage	8	
Debris Generation		
Social Impact	8	
Shelter Requirements		
Economic Loss	9	
Building-Related Losses		
Appendix A: County Listing for the Region	10	
Appendix B: Regional Population and Building Value Data	11	

HAZUS is a regional multi-hazard loss estimation model that was developed by the Federal Emergency Management Agency (FEMA) and the National Institute of Building Sciences (NIBS). The primary purpose of HAZUS is to provide a methodology and software application to develop multi-hazard losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from multi-hazards and to prepare for emergency response and recovery.

The flood loss estimates provided in this report were based on a region that included 1 county(ies) from the following state(s):

- Pennsylvania

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 1,147 square miles and contains 5,248 census blocks. There are over 33 thousand households in the region and has a total population of 83,382 people (2000 Census Bureau data). The distribution of population by State and County for the study region is provided in Appendix B.

There are an estimated 28,352 buildings in the region with a total building replacement value (excluding contents of 4,181 million dollars (2002 dollars). Approximately 98.97% of the buildings (and 79.46% of the building value) are associated with residential housing.

### General Building Stock

HAZUS estimates that there are 28,352 buildings in the region which have an aggregate total replacement value of 4,181 million (2002 dollars). Table 1 and Table 2 present the relative distribution of the value with respect to the general occupancies by Study Region and Study Case respectively. Appendix B provides a general distribution of the building value by State and County.

Occupancy	Exposure (\$1000)	Percent of Total
Residential	3,322,726	79.5%
Commercial	543,334	13.0%
Industrial	199,519	4.8%
Agricultural	11,113	0.3%
Religion	55,153	1.3%
Government	12,086	0.3%
Education	37,532	0.9%
Total	4,181,463	100.00%

Table 1Building Exposure by Occupancy Type for the Study Region

Table 2
Building Exposure by Occupancy Type for the Study Case

Occupancy	Exposure (\$1000)	Percent of Total
Residential	831,222	63.8%
Commercial	257,480	19.8%
Industrial	151,378	11.6%
Agricultural	4,064	0.3%
Religion	27,483	2.1%
Government	9,024	0.7%
Education	22,833	1.8%
Total	1,303,484	100.00%

#### **Essential Facility Inventory**

For essential facilities, there are 2 hospitals in the region with a total bed capacity of 292 beds. There are 20 schools, 19 fire stations, 8 police stations and 1 emergency operation center.

HAZUS used the following set of information to define the flood parameters for the flood loss estimate provided in this report.

Study Region Name:	ClearfieldCoMR2
Scenario Name:	ClearfieldMR2
Return Period Analyzed:	50
Analysis Options Analyzed:	0

### **General Building Stock Damage**

HAZUS estimates that about 417 buildings will be at least moderately damaged. This is over 44% of the total number of buildings in the region. There are an estimated 4 buildings that will be completely destroyed. The definition of the 'damage states' is provided in Volume 1: Chapter 6 of the HAZUS Flood technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 summarizes the expected damage by general building type.

	1-	10	11-	20	21-3	0	31-4	0	41-5	D	Substant	tially
Occupancy	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	6	85.71	1	14.29	0	0.00	0	0.00	0	0.00	0	0.00
Education	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Government	0	0.00	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00
Industrial	2	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Religion	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Residential	323	76.36	70	16.55	14	3.31	6	1.42	6	1.42	4	0.95
Total	331		72		14		6		6		4	

#### Table 3: Expected Building Damage by Occupancy

Building	1-10	)	11-20	)	21-30		31-40		41-5	0	Substanti	ally
Туре –	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Concrete	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
ManufHousing	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Masonry	98	77.78	20	15.87	3	2.38	1	0.79	2	1.59	2	1.59
Steel	3	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Wood	227	75.92	50	16.72	11	3.68	5	1.67	4	1.34	2	0.67

Before the flood analyzed in this study case, the region had 0 hospital beds available for use. On the day of the study case flood event, the model estimates that 0 hospital beds are available in the region.

#### Table 5: Expected Damage to Essential Facilities

		# Facilities						
Classification	Total	At Least Moderate	At Least Substantial	Loss of Use				
Fire Stations	19	0	0	0				
Hospitals	2	0	0	0				
Police Stations	8	0	0	0				
Schools	20	0	0	0				

If this report displays all zeros or is blank, two possibilities can explain this.

(1) None of your facilities were flooded. This can be checked by mapping the inventory data on the depth grid.

(2) The analysis was not run. This can be tested by checking the run box on the Analysis Menu and seeing if a message box asks you to replace the existing results.

#### **Debris Generation**

HAZUS estimates the amount of debris that will be generated by the flood. The model breaks debris into three general categories: 1) Finishes (dry wall, insulation, etc.), 2) Structural (wood, brick, etc.) and 3) Foundations (concrete slab, concrete block, rebar, etc.). This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 42,388 tons of debris will be generated. Of the total amount, Finishes comprises 29% of the total, Structure comprises 40% of the total. If the debris tonnage is converted into an estimated number of truckloads, it will require 1,696 truckloads (@25 tons/truck) to remove the debris generated by the flood.

#### Social Impact

#### **Shelter Requirements**

HAZUS estimates the number of households that are expected to be displaced from their homes due to the flood and the associated potential evacuation. HAZUS also estimates those displaced people that will require accommodations in temporary public shelters. The model estimates 925 households will be displaced due to the flood. Displacement includes households evacuated from within or very near to the inundated area. Of these, 1,541 people (out of a total population of 83,382) will seek temporary shelter in public shelters.

The total economic loss estimated for the flood is 312.21 million dollars, which represents 23.95 % of the total replacement value of the study case buildings.

#### **Building-Related Losses**

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the flood. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the flood.

The total building-related losses were 151.05 million dollars. 52% of the estimated losses were related to the business interruption of the region. The residential occupancies made up 20.88% of the total loss. Table 6 below provides a summary of the losses associated with the building damage.

Category	Area	Residential	Commercial	Industrial	Others	Total
Building Lo	SS					
-	Building	38.44	13.51	5.21	5.10	62.26
	Content	22.98	34.81	12.37	14.84	84.99
	Inventory	0.00	1.22	2.59	0.00	3.81
	Subtotal	61.42	49.53	20.17	19.93	151.05
Business Ir	nterruption					
	Income	0.95	17.71	0.25	10.35	29.26
	Relocation	0.22	2.40	0.08	1.28	3.98
	Rental Income	0.38	1.76	0.02	0.20	2.35
	Wage	2.24	22.14	0.39	100.81	125.58
	Subtotal	3.79	43.99	0.75	112.63	161.16
ALL	Total	65.20	93.53	20.92	132.56	312.21

#### Table 6: Building-Related Economic Loss Estimates

(Millions of dollars)

## Appendix A: County Listing for the Region

Pennsylvania

- Clearfield

## Appendix B: Regional Population and Building Value Data

		Building \	/alue (thousands of do	llars)
	Population	Residential	Non-Residential	Total
Pennsvlvania				
Clearfield	83,382	3,322,726	858,737	4,181,463
Total State	83,382	3,322,726	858,737	4,181,463
Total Study Region	83,382	3,322,726	858,737	4,181,463