HAZUS-MH: Flood Event Report

Region Name:	CumberlandMR2
Flood Study Case:	ComberlandCoMR2
Print Date:	Tuesday, May 01, 2007

Disclaimer:

The estimates of social and economic impacts contained in this report were produced using HAZUS loss estimation methodology software which is based on current scientific and engineering knowledge. There are uncertainties inherent in any loss estimation technique. Therefore, there may be significant differences between the modeled results contained in this report and the actual social and economic losses following a specific Flood. These results can be improved by using enhanced inventory data and flood hazard information.

Table of Contents

Section	Page #	
General Description of the Region	3	
Building Inventory	4	
General Building Stock		
Essential Facility Inventory		
Flood Scenario Parameters	5	
Building Damage	6	
General Building Stock		
Essential Facilities Damage		
Induced Flood Damage	8	
Debris Generation		
Social Impact	8	
Shelter Requirements		
Economic Loss	9	
Building-Related Losses		
Appendix A: County Listing for the Region	10	
Appendix B: Regional Population and Building Value Data	11	

HAZUS is a regional multi-hazard loss estimation model that was developed by the Federal Emergency Management Agency (FEMA) and the National Institute of Building Sciences (NIBS). The primary purpose of HAZUS is to provide a methodology and software application to develop multi-hazard losses at a regional scale. These loss estimates would be used primarily by local, state and regional officials to plan and stimulate efforts to reduce risks from multi-hazards and to prepare for emergency response and recovery.

The flood loss estimates provided in this report were based on a region that included 1 county(ies) from the following state(s):

- Pennsylvania

Note:

Appendix A contains a complete listing of the counties contained in the region.

The geographical size of the region is 550 square miles and contains 4,922 census blocks. There are over 83 thousand households in the region and has a total population of 213,674 people (2000 Census Bureau data). The distribution of population by State and County for the study region is provided in Appendix B.

There are an estimated 67,219 buildings in the region with a total building replacement value (excluding contents of 13,017 million dollars (2002 dollars). Approximately 98.62% of the buildings (and 81.99% of the building value) are associated with residential housing.

General Building Stock

HAZUS estimates that there are 67,219 buildings in the region which have an aggregate total replacement value of 13,017 million (2002 dollars). Table 1 and Table 2 present the relative distribution of the value with respect to the general occupancies by Study Region and Study Case respectively. Appendix B provides a general distribution of the building value by State and County.

Occupancy	Exposure (\$1000)	Percent of Total
Residential	10,672,826	82.0%
Commercial	1,710,419	13.1%
Industrial	384,204	3.0%
Agricultural	28,059	0.2%
Religion	115,135	0.9%
Government	24,559	0.2%
Education	81,723	0.6%
Total	13,016,925	100.00%

Table 1
Building Exposure by Occupancy Type for the Study Region

Table 2
Building Exposure by Occupancy Type for the Study Case

Occupancy	Exposure (\$1000)	Percent of Total
Residential	2,165,785	84.6%
Commercial	295,300	11.5%
Industrial	57,497	2.2%
Agricultural	5,100	0.2%
Religion	21,273	0.8%
Government	8,993	0.4%
Education	5,995	0.2%
Total	2,559,943	100.00%

Essential Facility Inventory

For essential facilities, there are 5 hospitals in the region with a total bed capacity of 732 beds. There are 104 schools, 25 fire stations, 18 police stations and no emergency operation centers.

HAZUS used the following set of information to define the flood parameters for the flood loss estimate provided in this report.

Study Region Name:	CumberlandMR2
Scenario Name:	ComberlandCoMR2
Return Period Analyzed:	50
Analysis Options Analyzed:	0

General Building Stock Damage

HAZUS estimates that about 585 buildings will be at least moderately damaged. This is over 32% of the total number of buildings in the region. There are an estimated 1 buildings that will be completely destroyed. The definition of the 'damage states' is provided in Volume 1: Chapter 6 of the HAZUS Flood technical manual. Table 3 below summarizes the expected damage by general occupancy for the buildings in the region. Table 4 summarizes the expected damage by general building type.

	1-	10	11-2	20	21-3	30	31-4	0	41-5	0	Substant	tially
Occupancy	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Agriculture	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Commercial	0	0.00	1	50.00	1	50.00	0	0.00	0	0.00	0	0.00
Education	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Government	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Industrial	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Religion	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Residential	521	88.91	53	9.04	8	1.37	2	0.34	1	0.17	1	0.17
Total	522		54		9		2		1		1	

Table 3: Expected Building Damage by Occupancy

Building	1-10)	11-20		21-30		31-40		41-5	0	Substanti	ally
Туре —	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)	Count	(%)
Concrete	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
ManufHousing	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Masonry	163	89.56	15	8.24	3	1.65	1	0.55	0	0.00	0	0.00
Steel	1	100.00	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
Wood	357	88.59	38	9.43	5	1.24	1	0.25	1	0.25	1	0.25

Before the flood analyzed in this study case, the region had 0 hospital beds available for use. On the day of the study case flood event, the model estimates that 0 hospital beds are available in the region.

Table 5: Expected Damage to Essential Facilities

			# Facilities	
Classification	Total	At Least Moderate	At Least Substantial	Loss of Use
Fire Stations	25	0	0	0
Hospitals	5	0	0	0
Police Stations	18	0	0	0
Schools	104	0	0	0

If this report displays all zeros or is blank, two possibilities can explain this.

(1) None of your facilities were flooded. This can be checked by mapping the inventory data on the depth grid.

(2) The analysis was not run. This can be tested by checking the run box on the Analysis Menu and seeing if a message box asks you to replace the existing results.

Debris Generation

HAZUS estimates the amount of debris that will be generated by the flood. The model breaks debris into three general categories: 1) Finishes (dry wall, insulation, etc.), 2) Structural (wood, brick, etc.) and 3) Foundations (concrete slab, concrete block, rebar, etc.). This distinction is made because of the different types of material handling equipment required to handle the debris.

The model estimates that a total of 48,449 tons of debris will be generated. Of the total amount, Finishes comprises 32% of the total, Structure comprises 39% of the total. If the debris tonnage is converted into an estimated number of truckloads, it will require 1,938 truckloads (@25 tons/truck) to remove the debris generated by the flood.

Social Impact

Shelter Requirements

HAZUS estimates the number of households that are expected to be displaced from their homes due to the flood and the associated potential evacuation. HAZUS also estimates those displaced people that will require accommodations in temporary public shelters. The model estimates 1,562 households will be displaced due to the flood. Displacement includes households evacuated from within or very near to the inundated area. Of these, 3,090 people (out of a total population of 213,674) will seek temporary shelter in public shelters.

The total economic loss estimated for the flood is 231.08 million dollars, which represents 11.48 % of the total replacement value of the study case buildings.

Building-Related Losses

The building losses are broken into two categories: direct building losses and business interruption losses. The direct building losses are the estimated costs to repair or replace the damage caused to the building and its contents. The business interruption losses are the losses associated with inability to operate a business because of the damage sustained during the flood. Business interruption losses also include the temporary living expenses for those people displaced from their homes because of the flood.

The total building-related losses were 143.31 million dollars. 38% of the estimated losses were related to the business interruption of the region. The residential occupancies made up 50.24% of the total loss. Table 6 below provides a summary of the losses associated with the building damage.

Category	Area	Residential	Commercial	Industrial	Others	Tota
Building Lo	SS					
-	Building	68.52	6.18	1.50	0.76	76.96
	Content	42.65	16.09	2.92	3.58	65.24
	Inventory	0.00	0.67	0.44	0.00	1.11
	Subtotal	111.17	22.95	4.86	4.33	143.31
Business Ir	nterruption					
	Income	1.37	10.54	0.08	1.61	13.60
	Relocation	0.11	1.72	0.02	0.41	2.27
	Rental Income	0.22	1.20	0.00	0.07	1.49
	Wage	3.23	14.03	0.16	53.01	70.42
	Subtotal	4.93	27.49	0.26	55.10	87.77
ALL	Total	116.10	50.44	5.12	59.43	231.08

Table 6: Building-Related Economic Loss Estimates

(Millions of dollars)

Appendix A: County Listing for the Region

Pennsylvania

- Cumberland

Appendix B: Regional Population and Building Value Data

		Building Value (thousands of dollars)		
	Population	Residential	Non-Residential	Total
Pennsvlvania				
Cumberland	213,674	10,672,826	2,344,099	13,016,925
Total State	213,674	10,672,826	2,344,099	13,016,925
Total Study Region	213,674	10,672,826	2,344,099	13,016,925