

1920
1900
1880
1860
1840
1820
1800
1780
1760
1740
1720
1700
1680
1660
1640
1620
1600
1580
1560
1540
1520
1500
1480
1460

XHP

4.F. COAL 1840+

R-6
S 1805.6

C 1-7"

C 0-4"

Bony 0-6"
Coal 1-1"

C 1-7"

1503

HOLE # R-1

SUR. 1765.0

	19.0	19.0
CLAY SHALE GRAY & DARK		
SHALE DARK GRAY SANDY	16.0	35.0
	5.8	40.8
SHALE DARK		
SHALE DARK SAND STONE STRAOKS	13.10	54.6
SHALE DARK BROKEN	12.4	80.9
Coal Finer	4.9	85.6
FIRECLAY SANDY		
CLAY SHALE GRAY	15.7	101.0
SHALE GRAY SANDY	5.0	106.0
SHALE SANDY	4.6	110.6
SAND STONE GRAY STALE STRAOKS	7.0	117.6
SAND STONE GRAY		
SHALE GRAY BROKEN	26.8	144.2
COAL	1.5	145.7
	1.1	146.6
FIRECLAY		
SHALE GRAY	11.1	158.7
SHALE SANDY	7.6	166.1
SHALE SANDY	5.8	171.9
FIRECLAY	4.4	176.1
SHALE DARK SANDY BROKEN STONE STRAOKS	11.7	187.8
SHALE DARK	3.4	191.0
COAL	2.2	193.6
	2.6	196.0
SHALE SANDY	1.9	197.5
	2.8	200.0

R-3
S 1720.0

G 3-0"
B 1-0-6
CC 0-6
A 1-0-2
C 0-1-1/2
B 1-0-5
C 0-6 1/2

C 1-1"

C 1-0"

C 0-10"

C 1-8"

B C 0-20"

R-4
S 1640.25

3-5" Sand & Shale Badly broken
C 15-0 5/8
B 0-5
C 0-5
C 0-5
C 0-5
B 0-6
C 0-7
B 0-4
C 1-1

R-4 Redrilled
Lost 25.4" of Coal out of
4-3 section.
R-4
1-5" of shale broken
3-5" Sand & Shale Badly broken

R-2
S 1702.6

7-5"

C 1-11"

B 0-1
C 1-0 1/2
C 1-3
B 1-2 3/4
C 1-9
C 1-0
B 0-1
B 0-1 1/2

R-5
S 1699.0

C 1-0

C 0-8"

B 0-1 1/4
C 0-2 3/4
B 0-2 3/4
C 1-5
CC 0-3
C 0-7 1/2
B 0-0-3
C 1-0 1/2

2-9" Sand & Shale
0-5" DE SH. Broken