




SCALE 1:25,000
1 inch = 2,000 feet
1 centimeter = 200 meters
CONTOUR INTERVAL 20 FEET
ELEVATION IN FEET
ELEVATION IN METERS

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route ——— State Route ———
MAPPED, EDITED, AND PUBLISHED BY THE GEOLOGICAL SURVEY
Compiled by 1985 and 1986
Topographic by photogrammetric methods from aerial
photographs taken 1968. Field checked 1985.
Photographic projection. 1983 North American datum.
10,000-foot grid based on Pennsylvania coordinate system,
south zone.
1000-meter Universal Transverse Mercator grid ticks,
zone 18 T, shown in blue.
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unedited.

STRONGSTOWN, PA.
NAD 83 BARNESBORO 15 QUADRANGLE
NAD 83-17502.5/7.5
1985

SCALE 1:25,000
1 inch = 2,000 feet
1 centimeter = 200 meters
CONTOUR INTERVAL 20 FEET
ELEVATION IN FEET
ELEVATION IN METERS

ROAD CLASSIFICATION
Heavy-duty ——— Light-duty ———
Medium-duty ——— Unimproved dirt ———
U.S. Route ——— State Route ———
MAPPED, EDITED, AND PUBLISHED BY THE GEOLOGICAL SURVEY
Compiled by 1985 and 1986
Topographic by photogrammetric methods from aerial
photographs taken 1968. Field checked 1985.
Photographic projection. 1983 North American datum.
10,000-foot grid based on Pennsylvania coordinate system,
south zone.
1000-meter Universal Transverse Mercator grid ticks,
zone 18 T, shown in blue.
Fine red dashed lines indicate selected fence and field lines where
generally visible on aerial photographs. This information is unedited.

COLVER, PA.
NAD 83 BARNESBORO 15 QUADRANGLE
NAD 83-17502.5/7.5
1985