

40°47'30"

40°47'30"



40°45'00"

TREVORTON S/W RECAPITULATION				
COLLIERY NAME	U.S.G.S. DESIGNATION	COAL CO. DESIGNATION	VEIN RANGE (MIN. - MAX.)	COAL RANGE (MIN. - MAX.)
NTH FRANKLIN	5	No. 5 BOT. SPLIT	9.2 - 15.3	3.5 - 15.0
KATHRYN		No. 5	11.3 - 13.2	11.0 - 13.0

No. of Readings Avg. Vein Thickness Avg. Coal Thickness Vein Range Coal Range

76°41'15"

TREVORTON S/E RECAPITULATION				
COLLIERY NAME	U.S.G.S. DESIGNATION	COAL CO. DESIGNATION	VEIN RANGE (MIN. - MAX.)	COAL RANGE (MIN. - MAX.)
NTH FRANKLIN		No. 5 BOT. SPLIT	2.5 - 11.0	1.2 - 8.5
BEAR VALLEY		No. 5	1.3 - 4.4	1.7 - 3.7

No. of Readings Avg. Vein Thickness Avg. Coal Thickness Vein Range Coal Range

40°45'00"

76°37'30"

COAL THICKNESS SHEET FOR VEIN
TREVORTON QUADRANGLE (S.W. & S.E. PARTS)
NTH FRANKLIN COLLIERY
BEAR VALLEY