

T. S. 1930

RAINFALL OF 1930 IS ABOUT SAME AS 1922, LOCAL FIGURES SHOW

Records of First Nine Months of Two Years of Drouth Are Presented

SHORTAGE IS ALARMING

Although the rainfall for the first nine months of this year was only three tenths of an inch more than that recorded for the corresponding period of 1922, a year of extreme drouth in this city, the effects of the protracted dry spell were not nearly so pronounced.

While the rainfall for the first nine months of this year was practically the same as that of the first nine months of 1922, the amount of water was not nearly so heavy this year because of the drouth. Conservation of the water supply through the use of water-saving devices has also been a big factor in this year in preventing a shortage of water.

For this year, the Johnston Water Company has not found it necessary to place restrictions on the use of water. In 1922, however, persons were threatened with prosecution if they used water for washing automobiles, sprinkling lawns, or scrubbing sidewalks and porches.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

HINCKSTON RESERVOIR'S SUPPLY IS TURNED INTO WATER MAINS OF CITY

Action Taken Today Upon State Permission; Tests Show High Standard

USE TILL DROUTH ENDS

Water in the Hinckston Reservoir of the Manufacturers' Water Company was turned into the mains of the Johnston Water Company this afternoon following permission secured from the State Department of Health.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

RAIN LITTLE AID TO WATER SUPPLY IN COUNTY TOWNS

Soil Is Dry to Depth of 30 Inches, Investigation of Officials Shows

SPRINGS REMAIN DRY

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Drastic Regulations Issued to Prevent Waste and Reduce Consumption to a Minimum as Result of Record Dry Year—Present Supply, Without Being Augmented, Sufficient for 20 Days More

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

HOME

THE J

Company Officials Warn of Water Shortage; Restrict Many Uses To Stave Off Serious Famine Locally

Practically No Ground Storage, Due to Frozen Surface of Watersheds—Warm Weather, Causing Thaw, Only Hope

A warning to all Johnston water consumers that it will be necessary to conserve their water as it is being used at present, was issued by the Johnston Water Company this afternoon.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Water supplies in Hinckston and Cambridge counties benefited very little from the rain and snow which visited sections during the latter part of last week.

Table with 4 columns: Month, 1922, 1930, and Total. Rows for Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec, and Totals.

TEMPERATURE FOR YEAR IS TOO WARM

Although November was colder on record; precipitation deficient

Although all records for November and weather were broken last month, the second temperature for the year to date average was one and one-half degrees too warm.

Mr. Knick has also prepared tables for the first 10 months of 1922, the record year for the first 10 months of the present year.

Little change, however, was noted in the spring, many of which have been completely dry for the last three months of the year.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

New York Times Sept. 21, 1930

OLD MAN RIVER GROWS PALE AND SHRIVELS FROM DROUGHT

No Longer a Giant, the Mississippi Retreats Before Gulf Waters and Ends Its Flow at New Orleans

THE mighty Father of Waters, broad and coffee-colored in its lower reaches, is shrinking in the face of the drought which sweeps the country during the summer.

Ordinarily the Mississippi rushes out into the Gulf of Mexico, some hundred miles below New Orleans, and continues to spread its opaque, tea-colored arms some little distance beyond the bar before the green anemone waters set across it abruptly.

These facts alone that salt-water fish have been caught right at the foot of Canal Street, and that porpoises were seen in the river near the Gulf.

Johnston Tribune—Sept 26, 1930

USE DYNAMITE TO AID FARMER

Blasted Water Holes and Trench Silos Gain Popular Favor in Drouth Area

WILMINGTON, Oct. 16.—A large two-story 14-room building was destroyed by fire here last night.

Based on reports from the field, Larry W. Livingston, who heads the agricultural division, expressed belief that trench silos will prove particularly valuable in a large number of localities in sections where it will be going dry and the prospect of many of them remaining dry for an indefinite period.

Mr. Livingston said that trench silos are being used in a number of other localities, along with a number of other Bulletin and circulars on the subject.

TRIBUTE Oct 1, 1930

THE NEW

VINTONDALE MINE WORK HAMPERED BY WATER SHORTAGE

Work Curtailed There Somewhat Mefersdale Also Suffering from Drouth

The water shortage which has made the pressure fall in many of the mines in the Mefersdale area has been reported by the coal fields at Vintondale and operations of the two mines of the Vintondale Coal Company have been hampered somewhat during the last few weeks by a shortage in the reservoir of the reservoir.

When a mine is operated on the lower level and the mine, using the water, has been used, the mine has been closed and a result that the mine has been closed and a result that the mine has been closed.

Records Prior to That Date Not Available; 15.44 Inches Below Normal

FIGURES OF DECEMBER

Records kept by C. Lorenz, local weather observer, show that the year 1930 had the lowest precipitation on record since 1880, or 49 years.

Records for December alone were 11.44 inches below normal. The precipitation for the month of December alone was 11.44 inches below normal.

Other records for December are indicated in the report, an average mean of maximum temperature, 33.9 degrees.

FIRE WIPES OUT LARGE HOLSOPPLE STRUCTURE TODAY

Three Families Made Homeless; Water Supply Obtained from H. & O. Engines

considered an owner of good luck when they depart themselves around and three families were made homeless.

The fire, which started in the morning at 2:30 o'clock when fire of Hinckston origin, spread out from the structure owned by John Taylor, of Hinckston.

When the structural supply of the Hinckston water supply was cut off, the Hinckston water supply was cut off.

When the structural supply of the Hinckston water supply was cut off, the Hinckston water supply was cut off.

When the structural supply of the Hinckston water supply was cut off, the Hinckston water supply was cut off.

When the structural supply of the Hinckston water supply was cut off, the Hinckston water supply was cut off.